



Data-to-Decisions

Dr. Randy K. Avent



Data-to-Decision Systems

Tactical Operations



- Low Latency
- Narrow Field-of-View
- Limited Fusion
- Automatic Target Recognition
- Data: ~MB-GB

Operations Intelligence



- Medium Latency
- Wide Field-of-View
- Hard Sensor Fusion
- Assisted Target Recognition
- Data: ~GB-TB

Strategic Intelligence



- Long Latency
- Synoptic Field-of-View
- Hard/Soft Sensor Fusion
- Multiple Hypotheses
- Data: ~PB-EB

The complexity and adaptability of threats has surpassed our ability to find them in large data volumes within mission timelines



D2D Technology Assessment



- Moderately Mature
- Driven by IT Industry


- Immature
- Driven by Defense

- Moderately Mature
- Driven by IT Industry

Data Management Layer



Analytics Layer



User Interface Layer



Current assessment is that unstructured data analytics is the most challenging and critical component of D2D



Outline



- Introduction
- **Technology Thrusts**
- **Summary**



Data Management Layer

- **Problem Statement: Increasing data volumes and modalities have diminished our ability to communicate, store, retrieve and process sources within mission critical timelines**
- **3-to-5 year timeframe objective**
 - Computational infrastructure to support capturing, processing, marking, retrieval, and management of millions of information objects per second
 - Network architecture with embedded information management on existing networks to support both real-time and discovery mission data requirements
- **7-to-10 year timeframe objective**
 - Anticipatory autonomous control of sensors and compute resources to simultaneously support hundreds of consumer requests for analysis products




Hardware Infrastructure

• Embedded System



- On-board storage
- Tightly coupled data and algorithms
- Low-latency, low-bandwidth operations

• Grid Cluster



- Centralized storage
- Data moved to compute nodes
- Tightly coupled algorithms
- Parallel file system limits large data use

• Cloud Computing



- Distributed storage
- Applications moved to compute nodes
- Order-independence through map/reduce




Analytic Layer

- **Problem Statement: Existing automation tools do not aid users in finding today's complex and adaptable threats within mission timelines**
- **3-to-5 year timeframe objective**
 - Robust classification to accurately detect, geo-register and identify surface objects despite difficult environments, configurations and emplacements
 - Robust automation tools to identify relationships, patterns of life and activities of ground vehicles
 - Robust tools to capture, store and retrieve HUMINT-based information to identify and leverage popular support against insurgents
- **7-to-10 year timeframe objective**
 - Robust classification to accurately detect, geo-register and identify all surface objects despite difficult environments, configurations and emplacements
 - Robust automation tools to identify relationships, patterns of life and activities of dismounts
 - Robust tools to search, mine and exploit open-source data to identify all aspects of insurgent networks




Generalized Tracking






Tracking Analysis






Imagery Processing Chain





Detection/Classification Analysis





Text Analysis

	Advanced Machine Translation	HSCB Analysis	Document Exploitation (DOCEX)*	A&V from Text (Link/Temporal/Spatial)
Text Preparation (OCR, Speech, MT, Zoning)	Yellow	Yellow	Yellow	Yellow
Entity/Event Resolution & Consolidation	Gray	Yellow	Yellow	Red
Advanced Entity/Relation/Event Extraction	Gray	Red	Yellow	Red
Time/Location Stamping	Gray	Yellow	Red	Red
Subjectivity/Sentiment Extraction	Gray	Red	Yellow	Yellow
Text Mining	Gray	Yellow	Red	Red
Portability (Genre/Domain/Language)	Red	Red	Red	Red
Multilingual Extraction	Red	Red	Red	Yellow

* This refers to *operational* Document Exploitation (DOCEX); when Special Ops Forces (SOF) finds hard copy documents at a site and we need to process for intel info

Acronyms & Abbreviations

A&V = Analysis & Visualization
HSCB = Human Social Cultural Behavioral
MT = Machine Translation
OCR = Optical Character Recognition



N/A



TRL 6-9



TRL 3-6




TRL 1-3



User Interface Layer


• Analysts (Single Source)



- Data
- Metadata+
- Tags
- Provenance
- Ontologies

- Data
- Metadata+
- Tags
- Provenance
- Ontologies

• Aggregators (All-Source)



- Ontologies
- Workflows
- Tags
- Templates

†End User Programmable



User Interaction Layer



- **Problem Statement: Existing interface tools do not support the user's need to collaborate, visualize, adapt and manage knowledge gained from sensing assets**
- **3-to-5 year timeframe objective**
 - User tools that aid data discovery, link communities, support aggregation and provide natural user interfaces
- **7-to-10 year timeframe objective**
 - Never-ending learning systems that maintain and reason over millions of facts to identify new knowledge
 - Workflow tools that capture and teach analysts' best practices



Summary



- **The Data-to-Decisions program develops technology for the rapid development of flexible new Decision Support Systems**
- **Program consists of a series of relevant challenge problems that advance the underlying technology in data management, analytics and user interfaces**
- **Execution is through a consortium that addresses the challenge problems in a coherent and integrated team approach**
- **Major research initiatives focus on developing extendable analytic approaches and advanced user-interface modules**